



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/016,975	12/12/2001	Eric Rosen	010559	4927
23696	7590	12/20/2005	EXAMINER	
QUALCOMM, INC 5775 MOREHOUSE DR. SAN DIEGO, CA 92121			FOX, BRYAN J	
			ART UNIT	PAPER NUMBER
			2686	

DATE MAILED: 12/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/016,975

Applicant(s)

ROSEN ET AL

Examiner

Bryan J. Fox

Art Unit

2686

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 October 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-69 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-69 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1, 3, 7, 9, 13, 14, 18, 20, 24, 26, 30, 31, 35, 37, 41, 43, 47, 48, 52, 53, 58, 60, 64 and 65 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey (US006449491B1) in view of Hamalainen (US005966378A).

Regarding **claim 1**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see column 10, lines 8-20. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which

Art Unit: 2686

reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request from a controller after the service origination process is complete," and, configuring a communications manager (CM) to not respond immediately to the floor-control request." Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 3**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed "the receiving includes receiving the floor-control request on a reverse common channel".

Regarding **claim 7**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see column 10, lines 8-20), which reads on the claimed "method for avoiding simultaneous service origination and paging in a

Art Unit: 2686

mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request from a wireless infrastructure after the service origination process is complete". Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 9**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed "the receiving includes receiving the floor-control request on a reverse common channel".

Regarding **claim 13**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “method for avoiding simultaneous service origination and paging in a mobile operating in a group communication network”. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed “receiving a floor-control request from a source communication device for initiating a group call”. In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed “initiating a service origination process for the source communication device”. After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed “transmitting a response to the floor-control request”. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 14**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65), which reads on the claimed "the transmitting includes transmitting the response on a forward common channel".

Regarding **claim 18**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see Dailey column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see Dailey column 10, lines 8-20), which reads on the claimed "computer readable medium embodying a method for avoiding simultaneous service origination and paging in a mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request from a controller after the service origination process is complete".

Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 20**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed “the receiving includes receiving the floor-control request on a reverse common channel”.

Regarding **claim 24**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “computer-readable medium embodying a method for avoiding simultaneous service origination and paging in a mobile operating in a group communication network”. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed “receiving a floor-control request from a source communication device for initiating a group call”. In response, the system transmits a traffic channel designation message addressed to

Art Unit: 2686

terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed “initiating a service origination process for the source communication device”. After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed “transmitting a response to the floor-control request from a wireless infrastructure after the service origination process is complete”. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 26**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed “the receiving includes receiving the floor-control request on a reverse common channel”.

Regarding **claim 30**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “computer-readable medium embodying a method for avoiding

Art Unit: 2686

simultaneous service origination and paging in a mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request". Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 31**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65), which reads on the claimed "the transmitting includes transmitting the response on a forward common channel".

Regarding **claim 35**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network”. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed “means for receiving a floor-control request from a source communication device for initiating a group call”. In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed “means for initiating a service origination process for the source communication device”. After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed “means for transmitting a response to the floor-control request from a controller after the service origination process is complete”. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 37**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed "the receiving includes receiving the floor-control request on a reverse common channel".

Regarding **claim 41**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see column 10, lines 8-20), which reads on the claimed "apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "means for receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "means for initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which

Art Unit: 2686

reads on the claimed “means for transmitting a response to the floor-control request from a wireless infrastructure after the service origination process is complete”. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 43**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed “the receiving includes receiving the floor-control request on a reverse common channel”.

Regarding **claim 47**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network”. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed “means for receiving a floor-control request from a source communication

Art Unit: 2686

device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "means for initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "means for transmitting a response to the floor-control request". Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 48**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65), which reads on the claimed "the transmitting includes transmitting the response on a forward common channel".

Regarding **claim 52**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see column 10, lines 8-20), which reads

Art Unit: 2686

on the claimed "apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request from a controller after the service origination process is complete". Since the system both receives the origination message and transmits the response as discussed above, the system must include a transmitter and a receiver as claimed. Further, the transceiver that has the transmitter and receiver is connected to a cellular radio exchange 614 and a mobility server 616 (see figure 6), and these devices together produce a machine such that the instructions which execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks (see column 8, lines 7-28), so they must include the "processor communicatively coupled to the receiver and the transmitter" capable of the functions described above. Dailey fails to

Art Unit: 2686

expressly disclose avoiding a race condition between the service origination process and paging.”

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 53**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed “the receiving includes receiving the floor-control request on a reverse common channel”.

Regarding **claim 58**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that “wins” the traffic channel (see column 10, lines 8-20), which reads on the claimed “apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network”. A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed “receiving a floor-control request from a source communication device for initiating a group call”. In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination

Art Unit: 2686

message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request from a wireless infrastructure after the service origination process is complete". Since the system both receives the origination message and transmits the response as discussed above, the system must include a transmitter and a receiver as claimed. Further, the transceiver that has the transmitter and receiver is connected to a cellular radio exchange 614 and a mobility server 616 (see figure 6), and these devices together produce a machine such that the instructions which execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks (see column 8, lines 7-28), so they must include the "processor communicatively coupled to the receiver and the transmitter" capable of the functions described above. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 60**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56), which reads on the claimed "the receiving includes receiving the floor-control request on a reverse common channel".

Regarding **claim 64**, Dailey discloses a system with a terminal 400 that includes a push-to-talk button 460, operatively associated with the controller 470 and used to initiate and conduct group calls (see column 7, lines 26-36). This system notifies the originating party that "wins" the traffic channel (see column 10, lines 8-20), which reads on the claimed "apparatus for avoiding simultaneous service origination and paging in a mobile operating in a group communication network". A group call origination message is transmitted from an originating terminal (Block 705) and is received at one of the system transceiver units (see column 8, lines 38-44 and figure 7), which reads on the claimed "receiving a floor-control request from a source communication device for initiating a group call". In response, the system transmits a traffic channel designation message addressed to terminals in the group associated with the group call origination message (see column 8, lines 44-49 and figure 7), which reads on the claimed "initiating a service origination process for the source communication device". After designation of the common traffic channel, a confirm message is transmitted to the terminals of the group (see column 9, lines 47-49 and figure 8), which reads on the claimed "transmitting a response to the floor-control request". Since the system both receives the origination message and transmits the response as discussed above, the system must include a transmitter and a receiver as claimed. Further, the transceiver that has the transmitter

and receiver is connected to a cellular radio exchange 614 and a mobility server 616 (see figure 6), and these devices together produce a machine such that the instructions which execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks (see column 8, lines 7-28), so they must include the "processor communicatively coupled to the receiver and the transmitter" capable of the functions described above. Dailey fails to expressly disclose avoiding a race condition between the service origination process and paging."

In a similar field of endeavor, Hamalainen discloses preventing collisions between transmissions in the uplink and in the downlink (see column 3, lines 6-14).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Dailey with Hamalainen to include the above prevention of collisions in order to avoid the loss of data.

Regarding **claim 65**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65), which reads on the claimed "the transmitting includes transmitting the response on a forward common channel".

Claims 2, 8, 19, 25, 36, 42, 53 and 59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey in view of Hamalainen as applied to claims 1, 7, 18, 24, 35, 41, 52 and 58 above, and further in view of Phillips et al (US005873023A).

Regarding **claims 2, 8, 19, 25, 36, 42, 53 and 59**, the combination of Dailey and Hamalainen fails to expressly disclose caching the response before sending it.

In a similar field of endeavor, Phillips et al discloses a method for implementing a group call where messages may be queued before transmission (see column 5, lines 10-33). The queuing of a message reads on the claimed "caching".

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Phillips et al to include the above queuing of messages in order to avoid loss of information in the case that more than one message is to be sent at the same time or nearly the same time.

Claims 4, 5, 10, 11, 16, 21, 22, 27, 28, 33, 38, 39, 44, 45, 50, 55, 56, 61, 62 and 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey in view of Hamalainen as applied to claims 3, 9, 14, 20, 26, 31, 37, 43, 48, 54, 60 and 65 above, and further in view of Kumar et al (US006507572B1).

Regarding **claims 4, 10, 21, 27, 38, 44, 55 and 61**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56). The combination of Dailey and Hamalainen fails to expressly disclose the use of the reverse access channel.

In a similar field of endeavor, Kumar et al discloses a system where a mobile makes an access on the RACH at the primary to request channel assignment (see column 16, lines 56-65).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Kumar et al to

include the above use of the RACH in order to be consistent with the standard of using the reverse channel for initial contact.

Regarding **claims 5, 11, 22, 28, 39, 45, 56 and 62**, the combination of Dailey and Hamalainen discloses that the group call origination message is transmitted on a reverse control channel (see Dailey column 3, lines 52-56). The combination of Dailey and Hamalainen fails to expressly disclose the use of the reverse enhanced access channel.

In a similar field of endeavor, Kumar et al discloses a system where a mobile uses the R_EACH to request assignment of a dedicated traffic channel (see column 18, lines 8-10).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Kumar et al to include the above use of the reverse enhanced access channel in order to be consistent with the standard of using the reverse enhanced access channel to request assignment of a dedicated traffic channel.

Regarding **claims 16, 33, 50 and 67**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65). The combination of Dailey and Hamalainen fails to expressly disclose that the forward common control channel is used.

In a similar field of endeavor, Kumar et al discloses a system where a primary responds on the forward common control channel (see column 16, lines 27-49).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Kumar et al to include the above use of the forward common control channel in order to take advantage of the benefits of a common channel, such as resource sharing between many terminals.

Claims 6, 12, 23, 29, 40, 46, 51, 57, 63, 68 and 69 rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey in view of Hamalainen as applied to claims 3, 9, 20, 26, 37, 43, 48, 54, 60 and 65 above, and further in view of Wang et al (US 20020055364A1).

Regarding **claims 6, 12, 23, 29, 40, 46, 51, 57, 63 and 68**, the combination of Dailey and Hamalainen discloses that the group call origination message has a special abbreviated format (see Dailey column 3, lines 52-56). The combination of Dailey and Hamalainen fails to expressly disclose that the message is in short data burst form.

In a similar field of endeavor, Wang et al discloses a system that uses a short data burst (see figure 2).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Wang et al to include the above short data burst form in order to minimize the use of system resources by avoiding the need for a longer message.

Regarding **claim 69**, the combination of Dailey, Hamalainen and Wang et al discloses that the terminal 400 includes a push-to-talk button 460 (see Dailey column 7,

Art Unit: 2686

lines 26-36), which reads on the claimed "the source communication device includes a push-to-talk (PTT) device".

Claims 15, 32, 49 and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey in view of Hamalainen as applied to claims 14, 31, 48 and 65 above, and further in view of Hunzinger (US 20020082032A1).

Regarding **claims 15, 32, 49 and 66**, the combination of Dailey and Hamalainen discloses that the confirm messages preferably are Fast Associated Control Channel (FACCH) messages (see Dailey column 9, lines 61-65). The combination of Dailey and Hamalainen fails to disclose that the response is transmitted on a forward paging channel.

In a similar field of endeavor, Hunzinger discloses a system where an acknowledgement is received on the forward paging channel (see paragraph 20).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Dailey and Hamalainen with Hunzinger to include the above use of the forward paging channel in order to take advantage of the benefits of a paging channel such as avoiding the need for a dedicated channel, conserving system resources.

Response to Arguments

Applicant's arguments filed October 3, 2005 have been fully considered but they are not persuasive.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., not limited to a time divided system) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan J. Fox whose telephone number is (571) 272-7908. The examiner can normally be reached on Monday through Friday 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on (571) 272-7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2686

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bryan Fox
November 29, 2005

Marsha D. Banks-Harold
MARSHA D. BANKS-HAROLD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600